



Sample D9 88 Pineapple

| | | | | | |
|-------------------|---------------------------------------|------------------|--------------|---------------------------|--------------|
| Sample ID: | BBL_2160 | Matrix: | Tincture | Analyses Executed: | CAN |
| Company: | Enjoy Hemp | Batch ID: | 2251TP | Reported: | 02 Feb, 2022 |
| Phone: | | Received: | 26 Jan, 2022 | | |
| Address: | 1356 Bennett Drive Longwood, FL 32750 | | | | |
| Email: | sales.enjoyhemp@gmail.com | | | | |


Lab Notes: Results reported for sample as received

Cannabinoid Profile Analysis

Analyzed 31 Jan, 2022 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/ml | mg/pack |
|---------------------------------------|-----------|-----------|----------|---------------|-------|---------|
| Cannabidivarinic acid (CBDVa) | 0.030 | 0.080 | ND | ND | ND | ND |
| Cannabidivarin (CBDV) | 0.050 | 0.150 | ND | ND | ND | ND |
| Cannabidiolic acid (CBDa) | 0.040 | 0.110 | ND | ND | ND | ND |
| Cannabigerolic acid (CBGa) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.080 | 0.230 | ND | ND | ND | ND |
| Cannabidiol (CBD) | 0.060 | 0.190 | 0.0294 | 0.29 | 0.29 | 8.56 |
| Tetrahydrocannabivarin (THCV) | 0.080 | 0.240 | ND | ND | ND | ND |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050 | 0.160 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabinolic acid (CBNa) | 0.080 | 0.250 | ND | ND | ND | ND |
| Exo-Tetrahydrocannabinol (exo-THC) | 0.120 | 0.360 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinol (D9-THC) | 0.120 | 0.360 | 0.289 | 2.89 | 2.8 | 84.12 |
| D8-Tetrahydrocannabinol (D8-THC) | 0.140 | 0.430 | 0.3192 | 3.19 | 3.1 | 92.91 |
| Cannabicyclol (CBL) | 0.210 | 0.640 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130 | 0.400 | ND | ND | ND | ND |
| Cannabichromene (CBC) | 0.090 | 0.280 | ND | ND | ND | ND |
| Cannabichromenic acid (CBCa) | 0.350 | 1.060 | ND | ND | ND | ND |
| Total THC (THCa * 0.877 + THC) | | | 0.29 | 2.89 | ND | ND |
| Total CBD (CBDa * 0.877 + CBD) | | | 0.03 | 0.29 | ND | ND |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | ND | ND |
| Total Cannabinoids | | | 0.64 | 6.37 | ND | ND |

Sample Photography



NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 02 Feb, 2022 12:43:41 PM



FVI - Filth & Foreign Matter Inspection

Analyzed | Instrument Microscope | Method TM-108

| Analyte Name | Result |
|--|----------|
| > 1/4 of the total sample area covered by sand soil cinders or dirt | Negative |
| > 1/4 of the total sample area covered by mold | Negative |
| > 1 insect fragment 1 hair or 1 count mammalian excreta per 3g | Negative |
| > 1/4 of the total sample area covered by an imbedded foreign material | Negative |

HME - Heavy Metals Detection Analysis

Analyzed 18 Jan, 2022 | Instrument ICP-MS | Method TM-105

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005 | 0.015 | 0 | | 1.5 |
| Cadmium (Cd) | 0.005 | 0.016 | 0 | | 0.3 |
| Mercury (Hg) | 0.004 | 0.013 | 0 | | 0.5 |
| Lead (Pb) | 0.075 | 0.224 | 0 | | 1 |

MIB - Microbial Testing Analysis

Analyzed 18 Jan, 2022 | Instrument Plating | Method Subcontracted

| Analyte | Limit (CFU/g) | Result CFU/g | Flag |
|-----------------------|---------------|--------------|------|
| E. Coli | 0.99 | 0 | Pass |
| Staphylococcus aureus | 0.99 | 0 | Pass |
| Salmonella SPP | 0.99 | 0 | Pass |
| Yeast & Mold | 10000 | 0 | Pass |
| Aspergillus | 0.99 | 0 | Pass |

MWA - Moisture Content & Water Activity

Analyzed | Instrument Water Activity Meter | Method TM-107

| Analyte | Results | Flag | Limit |
|----------------|---------|------|-------|
| Water Activity | NT | | 0.85 |
| Moisture | NT | | |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



MTO - Mycotoxin Testing Analysis

Analyzed 17 Jan, 2022 | Instrument LC-MS/MS | Method TM-104

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1 | 0.000 | 0.010 | N D | | 20 |
| Mycotoxin B2 | 0.010 | 0.030 | N D | | 20 |
| Mycotoxin G1 | 0.010 | 0.020 | N D | | 20 |
| Mycotoxin G2 | 0.010 | 0.040 | N D | | 20 |
| Ochratoxin A | 0.020 | 0.060 | N D | | 20 |
| Total Mycotoxins | | | N D | | 20 |

PES - Pesticides Screening Analysis

Analyzed 17 Jan, 2022 | Instrument LC-MS/MS | Method TM-103

| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------------|-----------|-----------|-------------|------|------------|
| Abamectin | 0.110 | 0.330 | N D | | 0.3 |
| Acephate | 0.230 | 0.700 | N D | | 5 |
| Acequinocyl | 0.110 | 0.320 | N D | | 4 |
| Acetamiprid | 0.020 | 0.050 | N D | | 5 |
| Aldicarb | 0.020 | 0.050 | N D | | 0.4 |
| Azoxystrobin | 0.020 | 0.060 | N D | | 40 |
| Bifenazate | 0.010 | 0.030 | N D | | 5 |
| Bifenthrin | 0.020 | 0.060 | N D | | 0.5 |
| Boscalid | 0.060 | 0.170 | N D | | 10 |
| Carbaryl | 0.010 | 0.040 | N D | | 0.5 |
| Carbofuran | 0.010 | 0.020 | N D | | 0.01 |
| Chlorantranilprole | 0.010 | 0.030 | N D | | 40 |
| Chlorpyrifos | 0.010 | 0.030 | N D | | 0.01 |
| Clofentezine | 0.010 | 0.040 | N D | | 0.5 |
| Coumaphos | 0.040 | 0.120 | N D | | 0.04 |
| Cyfluthrin | 2.320 | 7.020 | N D | | 2.32 |
| Cypermethrin | 0.370 | 1.130 | N D | | 1 |
| Daminozide | 0.550 | 1.650 | N D | | 0.55 |
| Dichlorvos | 0.050 | 0.140 | N D | | 0.05 |
| Dimethoate | 0.010 | 0.020 | N D | | 0.01 |
| Dimethomorph | 0.010 | 0.030 | N D | | 20 |
| Ethoprophos | 0.020 | 0.050 | N D | | 0.02 |
| Etofenprox | 0.010 | 0.040 | N D | | 0.01 |
| Etoxazole | 0.010 | 0.020 | N D | | 1.5 |
| Fenhexamid | 0.040 | 0.140 | N D | | 10 |
| Fenoxycarb | 0.020 | 0.060 | N D | | 0.02 |
| Fenpyroximate | 0.010 | 0.040 | N D | | 2 |
| Fipronil | 0.010 | 0.040 | N D | | 0.01 |
| Fludioxinil | 0.020 | 0.050 | N D | | 30 |
| Flonicamide | 0.010 | 0.030 | N D | | 2 |
| Hexythiazox | 0.010 | 0.020 | N D | | 2 |
| Imazalil | 0.060 | 0.170 | N D | | 0.06 |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Imidacloprid | 0.040 | 0.110 | N D | | 0.4 |
| Kresoxim-methyl | 0.020 | 0.050 | N D | | 1 |
| Malathion | 0.010 | 0.030 | N D | | 5 |
| Metalaxyl | 0.010 | 0.020 | N D | | 15 |
| Methiocarb | 0.010 | 0.030 | N D | | 0.4 |
| Methomyl | 0.020 | 0.050 | N D | | 0.4 |
| Mevinphos | 0.060 | 0.180 | N D | | 0.06 |
| Myclobutanil | 1.190 | 3.610 | N D | | 9 |
| Naled | 0.030 | 0.080 | N D | | 0.5 |
| Oxamyl | 0.020 | 0.050 | N D | | 1 |
| Paclobutrazole | 0.020 | 0.060 | N D | | 0.02 |
| Permethrin | 0.080 | 0.260 | N D | | 20 |
| Phosmet | 0.010 | 0.030 | N D | | 0.2 |
| Piperonyl butoxide | 0.010 | 0.040 | N D | | 8 |
| Prallethrin | 0.100 | 0.300 | N D | | 0.4 |
| Propiconazole | 0.070 | 0.220 | N D | | 20 |
| Propoxur | 0.010 | 0.030 | N D | | 0.01 |
| Pyrethrin-I | 0.020 | 0.060 | N D | | 1 |
| Pyridaben | 0.010 | 0.020 | N D | | 3 |
| Spinetoram | 0.230 | 0.690 | N D | | 3 |
| Spinosyn A | 0.010 | 0.020 | N D | | 3 |
| Spinosyn D | 0.000 | 0.010 | N D | | 3 |
| Spiromesifen | 0.050 | 0.140 | N D | | 12 |
| Spirotetramat | 0.010 | 0.030 | N D | | 13 |
| Spiroxamine | 0.010 | 0.030 | N D | | 0.01 |
| Tebuconazole | 0.010 | 0.030 | N D | | 2 |
| Thiachloprid | 0.010 | 0.030 | N D | | 0.01 |
| Thiamethoxam | 0.010 | 0.040 | N D | | 4.5 |
| Methyl parathion | 0.050 | 0.140 | N D | | 8.5 |
| Diazinon | 0.010 | 0.040 | N D | | 0.2 |
| Trifloxystrobin | 0.010 | 0.030 | N D | | 30 |
| Chlordane | 0.740 | 2.250 | N D | | 0.74 |
| Chlorfenapyr | 0.830 | 2.530 | N D | | 0.83 |
| Pentachloronitrobenzene | 0.060 | 0.170 | N D | | 0.2 |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



RES – Residual Solvent Analysis

Analyzed 12 Jan, 2022 | Instrument HS-GC/MS | Method TM-106

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane | 0.470 | 1.410 | N D | | 5000 |
| Butane | 0.200 | 0.610 | N D | | 5000 |
| Methanol | 0.070 | 0.230 | N D | | 3000 |
| Ethylene oxide | 0.001 | 0.004 | N D | | 1 |
| Pentane | 0.130 | 0.410 | N D | | 5000 |
| Ethanol | 0.130 | 0.380 | N D | | 5000 |
| Ethyl ether | 0.020 | 0.070 | N D | | 5000 |
| Acetone | 0.060 | 0.180 | N D | | 5000 |
| Isopropyl alcohol | 0.030 | 0.090 | N D | | 5000 |
| Acetonitrile | 0.020 | 0.060 | N D | | 410 |
| Methylene chloride | 0.010 | 0.020 | N D | | 1 |
| Hexane | 0.030 | 0.080 | 43.39 | | 290 |
| Ethyl acetate | 0.030 | 0.080 | 14.91 | | 5000 |
| Chloroform | 0.010 | 0.030 | N D | | 1 |
| Benzene | 0.010 | 0.030 | N D | | 1 |
| 1,2-Dichloroethane | 0.010 | 0.030 | N D | | 1 |
| Heptane | 0.020 | 0.060 | N D | | 5000 |
| Trichloroethene | 0.010 | 0.030 | N D | | 1 |
| Toluene | 0.010 | 0.020 | N D | | 890 |
| m p-Xylenes | 0.010 | 0.030 | N D | | 2170 |
| o-Xylene | 0.010 | 0.020 | N D | | 2170 |

*The limit of 2170 ug/g for m p-Xylenes and o-Xylene is to be intended as the two analytes combined.

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



Sample Blue Raz Tincture

| | | | | | |
|-------------------|---------------------------------------|------------------|--------------|---------------------------|--------------|
| Sample ID: | BBL_2010 | Matrix: | Tincture | Analyses Executed: | CAN |
| Company: | Enjoy Hemp | Batch ID: | 2251TBZ | Reported: | 30 Dec, 2021 |
| Phone: | | Received: | 27 Dec, 2021 | | |
| Address: | 1356 Bennett Drive Longwood, FL 32750 | | | | |
| Email: | sales.enjoyhemp@gmail.com | | | | |

Lab Notes: Results reported for sample as received


Cannabinoid Profile Analysis

Analyzed 30 Dec, 2021 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/ml | mg/pack |
|---------------------------------------|-----------|-----------|----------|---------------|-------|---------|
| Cannabidivarinic acid (CBDVa) | 0.030 | 0.080 | ND | ND | ND | ND |
| Cannabidivarin (CBDV) | 0.050 | 0.150 | ND | ND | ND | ND |
| Cannabidiolic acid (CBDa) | 0.040 | 0.110 | ND | ND | ND | ND |
| Cannabigerolic acid (CBGa) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.080 | 0.230 | ND | ND | ND | ND |
| Cannabidiol (CBD) | 0.060 | 0.190 | ND | ND | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.080 | 0.240 | ND | ND | ND | ND |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050 | 0.160 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabinolic acid (CBNa) | 0.080 | 0.250 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinol (D9-THC) | 0.120 | 0.360 | 0.2526 | 2.53 | 2.52 | 75.71 |
| D8-Tetrahydrocannabinol (D8-THC) | 0.140 | 0.430 | 0.2927 | 2.93 | 2.92 | 87.73 |
| Cannabicyclol (CBL) | 0.210 | 0.640 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130 | 0.400 | ND | ND | ND | ND |
| Cannabichromene (CBC) | 0.090 | 0.280 | ND | ND | ND | ND |
| Cannabichromenic acid (CBCa) | 0.350 | 1.060 | ND | ND | ND | ND |
| Total THC (THCa * 0.877 + THC) | | | 0.25 | 2.53 | | |
| Total CBD (CBDa * 0.877 + CBD) | | | ND | ND | | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | | |
| Total Cannabinoids | | | 0.55 | 5.45 | | |

Volume: 30.0000 ml, Density: 0.9991

Sample Photography



NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 30 Dec, 2021 05:36:39 PM



FVI - Filth & Foreign Matter Inspection

Analyzed | Instrument Microscope | Method TM-108

| Analyte Name | Result |
|--|----------|
| > 1/4 of the total sample area covered by sand soil cinders or dirt | Negative |
| > 1/4 of the total sample area covered by mold | Negative |
| > 1 insect fragment 1 hair or 1 count mammalian excreta per 3g | Negative |
| > 1/4 of the total sample area covered by an imbedded foreign material | Negative |

HME - Heavy Metals Detection Analysis

Analyzed 18 Jan, 2022 | Instrument ICP-MS | Method TM-105

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005 | 0.015 | 0 | | 1.5 |
| Cadmium (Cd) | 0.005 | 0.016 | 0 | | 0.3 |
| Mercury (Hg) | 0.004 | 0.013 | 0 | | 0.5 |
| Lead (Pb) | 0.075 | 0.224 | 0 | | 1 |

MIB - Microbial Testing Analysis

Analyzed 18 Jan, 2022 | Instrument Plating | Method Subcontracted

| Analyte | Limit (CFU/g) | Result CFU/g | Flag |
|-----------------------|---------------|--------------|------|
| E. Coli | 0.99 | 0 | Pass |
| Staphylococcus aureus | 0.99 | 0 | Pass |
| Salmonella SPP | 0.99 | 0 | Pass |
| Yeast & Mold | 10000 | 0 | Pass |
| Aspergillus | 0.99 | 0 | Pass |

MWA - Moisture Content & Water Activity

Analyzed | Instrument Water Activity Meter | Method TM-107

| Analyte | Results | Flag | Limit |
|----------------|---------|------|-------|
| Water Activity | NT | | 0.85 |
| Moisture | NT | | |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



MTO - Mycotoxin Testing Analysis

Analyzed 17 Jan, 2022 | Instrument LC-MS/MS | Method TM-104

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1 | 0.000 | 0.010 | N D | | 20 |
| Mycotoxin B2 | 0.010 | 0.030 | N D | | 20 |
| Mycotoxin G1 | 0.010 | 0.020 | N D | | 20 |
| Mycotoxin G2 | 0.010 | 0.040 | N D | | 20 |
| Ochratoxin A | 0.020 | 0.060 | N D | | 20 |
| Total Mycotoxins | | | N D | | 20 |

PES - Pesticides Screening Analysis

Analyzed 17 Jan, 2022 | Instrument LC-MS/MS | Method TM-103

| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------------|-----------|-----------|-------------|------|------------|
| Abamectin | 0.110 | 0.330 | N D | | 0.3 |
| Acephate | 0.230 | 0.700 | N D | | 5 |
| Acequinocyl | 0.110 | 0.320 | N D | | 4 |
| Acetamiprid | 0.020 | 0.050 | N D | | 5 |
| Aldicarb | 0.020 | 0.050 | N D | | 0.4 |
| Azoxystrobin | 0.020 | 0.060 | N D | | 40 |
| Bifenazate | 0.010 | 0.030 | N D | | 5 |
| Bifenthrin | 0.020 | 0.060 | N D | | 0.5 |
| Boscalid | 0.060 | 0.170 | N D | | 10 |
| Carbaryl | 0.010 | 0.040 | N D | | 0.5 |
| Carbofuran | 0.010 | 0.020 | N D | | 0.01 |
| Chlorantranilprole | 0.010 | 0.030 | N D | | 40 |
| Chlorpyrifos | 0.010 | 0.030 | N D | | 0.01 |
| Clofentezine | 0.010 | 0.040 | N D | | 0.5 |
| Coumaphos | 0.040 | 0.120 | N D | | 0.04 |
| Cyfluthrin | 2.320 | 7.020 | N D | | 2.32 |
| Cypermethrin | 0.370 | 1.130 | N D | | 1 |
| Daminozide | 0.550 | 1.650 | N D | | 0.55 |
| Dichlorvos | 0.050 | 0.140 | N D | | 0.05 |
| Dimethoate | 0.010 | 0.020 | N D | | 0.01 |
| Dimethomorph | 0.010 | 0.030 | N D | | 20 |
| Ethoprophos | 0.020 | 0.050 | N D | | 0.02 |
| Etofenprox | 0.010 | 0.040 | N D | | 0.01 |
| Etoxazole | 0.010 | 0.020 | N D | | 1.5 |
| Fenhexamid | 0.040 | 0.140 | N D | | 10 |
| Fenoxycarb | 0.020 | 0.060 | N D | | 0.02 |
| Fenpyroximate | 0.010 | 0.040 | N D | | 2 |
| Fipronil | 0.010 | 0.040 | N D | | 0.01 |
| Fludioxinil | 0.020 | 0.050 | N D | | 30 |
| Flonicamide | 0.010 | 0.030 | N D | | 2 |
| Hexythiazox | 0.010 | 0.020 | N D | | 2 |
| Imazalil | 0.060 | 0.170 | N D | | 0.06 |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Imidacloprid | 0.040 | 0.110 | N D | | 0.4 |
| Kresoxim-methyl | 0.020 | 0.050 | N D | | 1 |
| Malathion | 0.010 | 0.030 | N D | | 5 |
| Metalaxyl | 0.010 | 0.020 | N D | | 15 |
| Methiocarb | 0.010 | 0.030 | N D | | 0.4 |
| Methomyl | 0.020 | 0.050 | N D | | 0.4 |
| Mevinphos | 0.060 | 0.180 | N D | | 0.06 |
| Myclobutanil | 1.190 | 3.610 | N D | | 9 |
| Naled | 0.030 | 0.080 | N D | | 0.5 |
| Oxamyl | 0.020 | 0.050 | N D | | 1 |
| Paclobutrazole | 0.020 | 0.060 | N D | | 0.02 |
| Permethrin | 0.080 | 0.260 | N D | | 20 |
| Phosmet | 0.010 | 0.030 | N D | | 0.2 |
| Piperonyl butoxide | 0.010 | 0.040 | N D | | 8 |
| Prallethrin | 0.100 | 0.300 | N D | | 0.4 |
| Propiconazole | 0.070 | 0.220 | N D | | 20 |
| Propoxur | 0.010 | 0.030 | N D | | 0.01 |
| Pyrethrin-I | 0.020 | 0.060 | N D | | 1 |
| Pyridaben | 0.010 | 0.020 | N D | | 3 |
| Spinetoram | 0.230 | 0.690 | N D | | 3 |
| Spinosyn A | 0.010 | 0.020 | N D | | 3 |
| Spinosyn D | 0.000 | 0.010 | N D | | 3 |
| Spiromesifen | 0.050 | 0.140 | N D | | 12 |
| Spirotetramat | 0.010 | 0.030 | N D | | 13 |
| Spiroxamine | 0.010 | 0.030 | N D | | 0.01 |
| Tebuconazole | 0.010 | 0.030 | N D | | 2 |
| Thiachloprid | 0.010 | 0.030 | N D | | 0.01 |
| Thiamethoxam | 0.010 | 0.040 | N D | | 4.5 |
| Methyl parathion | 0.050 | 0.140 | N D | | 8.5 |
| Diazinon | 0.010 | 0.040 | N D | | 0.2 |
| Trifloxystrobin | 0.010 | 0.030 | N D | | 30 |
| Chlordane | 0.740 | 2.250 | N D | | 0.74 |
| Chlorfenapyr | 0.830 | 2.530 | N D | | 0.83 |
| Pentachloronitrobenzene | 0.060 | 0.170 | N D | | 0.2 |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM



RES – Residual Solvent Analysis

Analyzed 12 Jan, 2022 | Instrument HS-GC/MS | Method TM-106

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane | 0.470 | 1.410 | N D | | 5000 |
| Butane | 0.200 | 0.610 | N D | | 5000 |
| Methanol | 0.070 | 0.230 | N D | | 3000 |
| Ethylene oxide | 0.001 | 0.004 | N D | | 1 |
| Pentane | 0.130 | 0.410 | N D | | 5000 |
| Ethanol | 0.130 | 0.380 | N D | | 5000 |
| Ethyl ether | 0.020 | 0.070 | N D | | 5000 |
| Acetone | 0.060 | 0.180 | N D | | 5000 |
| Isopropyl alcohol | 0.030 | 0.090 | N D | | 5000 |
| Acetonitrile | 0.020 | 0.060 | N D | | 410 |
| Methylene chloride | 0.010 | 0.020 | N D | | 1 |
| Hexane | 0.030 | 0.080 | 43.39 | | 290 |
| Ethyl acetate | 0.030 | 0.080 | 14.91 | | 5000 |
| Chloroform | 0.010 | 0.030 | N D | | 1 |
| Benzene | 0.010 | 0.030 | N D | | 1 |
| 1,2-Dichloroethane | 0.010 | 0.030 | N D | | 1 |
| Heptane | 0.020 | 0.060 | N D | | 5000 |
| Trichloroethene | 0.010 | 0.030 | N D | | 1 |
| Toluene | 0.010 | 0.020 | N D | | 890 |
| m p-Xylenes | 0.010 | 0.030 | N D | | 2170 |
| o-Xylene | 0.010 | 0.020 | N D | | 2170 |

*The limit of 2170 ug/g for m p-Xylenes and o-Xylene is to be intended as the two analytes combined.

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 18 Jan, 2022 05:29:53 PM